



ARROWLOGIC PTE LTD

# TEMPERATURE FACIAL RECOGNITION & DETECTION

High accuracy and fast detection and fully customizable to suit operational requirements.

**ARROWLOGIC PTE LTD**

**(+65) 62538872 | 15, TOA PAYOH LORONG 8,  
#03-07, BRADDELL TECH, SINGAPORE 319262**

We pride ourselves with building solutions by taking your vision for your business, and helping it reach its fullest potential.



# FACIAL LITE

## STANDALONE SYSTEM

Standard Thermal and Facial  
Recognition Solution

### Key Features

- Up to 30,000 Face Library
- Thermal + Facial Detection
- Face recognition with mask
- Temperature measurement up to 1 meter
- Monitoring from central pc
- High temperature alert

Visit our website at [www.arrowlogic.com.sg](http://www.arrowlogic.com.sg) for more information about our company's services. Email us at [sales@arrowlogic.com.sg](mailto:sales@arrowlogic.com.sg) for inquiries.



FACIAL LITE



# FACIAL LITE

## FACIAL LITE POTRAIT MODULE

**Facial Lite module does the work on taking the temperature and processing the facial recognition**

### **Software Specifications:**

- Operating System: Android Operating System
- FR Software

### **Hardware Specifications:**

- Binocular wide dynamic camera
- 8.0 inch IPS LCD screen
- 800 x 1280 pixels resolution
- RK3288 quad-core processor
- 8GB Storage
- Ethernet/Wireless
- Infrared Thermal Imaging for Temperature Detection
- Temperature Range: 10 to 42 Degrees Celsius
- DC 12V power
- Dimensions: 297mm x 133mm x 48mm
- External Connections: 1 x USB OTG, 1 x USB Host, 1 x RS232, 1 x Door Open Signal Output, 1 x Wiegand 26/34 output, 1 x Wiegand 26/34 input.

